

Package: jpgrid (via r-universe)

November 4, 2024

Type Package

Title Functions for the Grid Square Codes in Japan

Version 0.4.0.9000

Description Provides functions for grid square codes in Japan (<<https://www.stat.go.jp/english/data/mesh/index.html>>). Generates the grid square codes from longitude/latitude, geometries, and the grid square codes of different scales, and vice versa.

License MIT + file LICENSE

URL <https://github.com/UchidaMizuki/jpgrid>,
<https://uchidamizuki.github.io/jpgrid/>

BugReports <https://github.com/UchidaMizuki/jpgrid/issues>

Depends R (>= 4.1.0)

Imports dplyr (>= 0.8.0), purrr (>= 1.0.0), rlang (>= 0.3.0), stars, sf, stringr (>= 1.4.0), tibble, tidyr (>= 1.3.0), units, vctrs, lifecycle, pillar, cli, tidygraph

Suggests testthat (>= 3.0.0)

Config/testthat/edition 3

Encoding UTF-8

LazyData true

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.2

Repository <https://uchidamizuki.r-universe.dev>

RemoteUrl <https://github.com/uchidamizuki/jpgrid>

RemoteRef HEAD

RemoteSha d275f379d54fd3cef855f67ae8d0759fddaa2e14

Contents

bbox_to_grid	2
coords	3
geometry_to_grid	3
grid_as_sf	4
grid_as_stars	4
grid_city_2020	5
grid_components	6
grid_convert	6
grid_distance	7
grid_line	7
grid_move	8
grid_neighbor	8
grid_neighborhood	9
grid_subdivide	10
is_grid	10
jpgrid	11
parse_grid	11
Index	12

bbox_to_grid	<i>Converting bbox to grid square codes</i>
--------------	---

Description

Converting bbox to grid square codes

Usage

```
bbox_to_grid(bbox, grid_size)
```

Arguments

bbox	A bbox.
grid_size	A grid size.

Value

A grid vector.

coords	<i>Conversion between grid square codes and coordinates (longitude and latitude)</i>
--------	--

Description

Conversion between grid square codes and coordinates (longitude and latitude)

Usage

```
coords_to_grid(X, Y, grid_size)
```

```
grid_to_coords(grid, center = TRUE)
```

Arguments

X	A numeric vector of longitude.
Y	A numeric vector of latitude.
grid_size	A grid size.
grid	A grid class vector.
center	Should the center point of the grid be returned? Otherwise the end points will be returned. TRUE by default.

Value

coords_to_grid() returns a grid vector.

grid_to_coords() returns a tbl_df.

geometry_to_grid	<i>Converting sfc geometries to grid square codes</i>
------------------	---

Description

Converting sfc geometries to grid square codes

Usage

```
geometry_to_grid(geometry, grid_size, options = "ALL_TOUCHED=TRUE", ...)
```

Arguments

geometry	A sfc vector.
grid_size	A grid size.
options	Options vector for GDALRasterize passed on to stars::st_rasterize() .
...	Passed on to stars::st_rasterize() .

Value

A list of grid vectors.

grid_as_sf	<i>Converting data frame containing grid square codes to sf</i>
------------	---

Description

Converting data frame containing grid square codes to sf

Usage

```
grid_as_sf(
  x,
  as_points = FALSE,
  crs = sf::NA_crs_,
  grid_column_name = NULL,
  ...
)
```

Arguments

x	A data frame or a grid.
as_points	Return the center points of the grids or not?
crs	Coordinate reference system.
grid_column_name	A scalar character.
...	passed on to sf::st_as_sf() .

Value

A sf object.

grid_as_stars	<i>Converting data frame containing regional grids to stars</i>
---------------	---

Description

Converting data frame containing regional grids to stars

Usage

```
grid_as_stars(  
  x,  
  coords = NULL,  
  crs = sf::NA_crs_,  
  grid_column_name = NULL,  
  ...  
)
```

Arguments

x	A data frame or a grid.
coords	The column names or indices that form the cube dimensions.
crs	Coordinate reference system.
grid_column_name	A scalar character.
...	Passed on to <code>stars::st_as_stars()</code> .

Value

A stars object.

grid_city_2020	<i>List of grid square codes by Japanese municipalities</i>
----------------	---

Description

List of grid square codes by Japanese municipalities

Usage

```
grid_city_2020
```

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 462915 rows and 6 columns.

Source

https://www.stat.go.jp/data/mesh/m_itiran.html

grid_components	<i>Connected components of grid square codes</i>
-----------------	--

Description

Connected components of grid square codes

Usage

```
grid_components(grid, n = 0:1, type = NULL)
```

Arguments

grid	A grid vector.
n	A numeric vector of degrees. By default, 0:1.
type	A character vector of neighborhood types, "von_neumann" or "moore". By default, "von_neumann". (FALSE, default).

Value

A integer vector of group IDs.

grid_convert	<i>Convert the grid size of grid objects</i>
--------------	--

Description

Convert the grid size of grid objects

Usage

```
grid_convert(grid, grid_size)
```

Arguments

grid	A grid vector.
grid_size	A grid size.

Value

A grid vector.

Examples

```
grid_500m <- parse_grid(c("533945263", "533935863", "533945764"), "500m")
grid_convert(grid_500m, "10km")
```

grid_distance	<i>Distance between grid square codes</i>
---------------	---

Description

If grid and grid_to are both vectors, the distance between grid and grid_to is calculated. If grid is a list, The path distance of each element is calculated.

Usage

```
grid_distance(  
  grid,  
  grid_to = NULL,  
  close = FALSE,  
  type = c("keep_na", "ignore_na", "skip_na")  
)
```

Arguments

grid	A grid vector or a list of grid vector.
grid_to	A grid vector.
close	Should the path of each element be closed when grid is a list?
type	How is the NA grid treated when grid is a list? "skip_na" skips the NA grid and connects the paths. "keep_na" by default.

Value

A double vector.

grid_line	<i>Draw line segments between grid square codes</i>
-----------	---

Description

If grid and grid_to are both vectors, the line between grid and grid_to is drawn (using Bresenham's line algorithm). If grid is a list, The path lines for each element in the grid will be drawn.

Usage

```
grid_line(grid, grid_to = NULL, close = FALSE, skip_na = FALSE)
```

Arguments

grid	A grid vector or a list of grid vector.
grid_to	A grid vector.
close	Should the path of each element be closed when grid is a list?
skip_na	Should skip the NA grid and connects the paths? FALSE by default.

Value

A list of grid vectors.

grid_move	<i>Moving on grid square codes</i>
-----------	------------------------------------

Description

Moving on grid square codes

Usage

```
grid_move(grid, n_X, n_Y)
```

Arguments

grid	A grid vector.
n_X	Number of moving cells in the longitude direction.
n_Y	Number of moving cells in the latitude direction.

Value

A grid vector.

grid_neighbor	<i>Neighborhood grid square codes (Deprecated)</i>
---------------	--

Description

[Deprecated]

Usage

```
grid_neighbor(grid, n = 1L, moore = TRUE, simplify = TRUE)
```


Arguments

grid	A grid vector.
n	A numeric vector of degrees. By default, 1L.
moore	Moore neighborhood (TRUE, default) or Von Neumann neighborhood (FALSE).
simplify	Should simplify the format of the return?

Value

A list of grid vectors.

grid_neighborhood	<i>Neighborhood grid square codes</i>
-------------------	---------------------------------------

Description

Neighborhood grid square codes

Usage

```
grid_neighborhood(grid, n = 1L, type = NULL, simplify = TRUE)
```

Arguments

grid	A grid vector.
n	A numeric vector of degrees. By default, 1L.
type	A character vector of neighborhood types, "von_neumann" or "moore". By default, "von_neumann".
simplify	Should simplify the format of the return?

Value

A list of grid vectors.

grid_subdivide	<i>Subdivide grid square codes</i>
----------------	------------------------------------

Description

grid_subdivide() makes the grid square codes finer.

Usage

```
grid_subdivide(grid, grid_size)
```

Arguments

grid	A grid vector.
grid_size	A grid size.

Value

A list of grid vector.

is_grid	<i>Test if the object is a grid</i>
---------	-------------------------------------

Description

Test if the object is a grid

Usage

```
is_grid(x, grid_size = NULL)
```

Arguments

x	An object.
grid_size	A grid size.

Value

TRUE if the object inherits from the grid class.

jpgrid

Functions for the Grid Square Codes in Japan

Description

Provides functions for grid square codes in Japan (<https://www.stat.go.jp/english/data/mesh/index.html>). Generates the grid square codes from longitude/latitude, geometries, and the grid square codes of different scales, and vice versa.

Author(s)

Maintainer: Mizuki Uchida <uchidamizuki@vivaldi.net>

See Also

<https://www.stat.go.jp/english/data/mesh/index.html>

parse_grid

Parse grid square codes

Description

Parse grid square codes

Usage

```
parse_grid(x, grid_size = NULL, strict = TRUE)
```

Arguments

x	A character vector of grid square codes.
grid_size	A grid size.
strict	A scalar logical. Should the number of digits in the grid square code match a given number of digits? By default, TRUE.

Examples

```
parse_grid("53394526313")
parse_grid("53394526313", "80km")
parse_grid("53394526313", "80km",
  strict = FALSE)
```

Index

* datasets

grid_city_2020, 5

bbox_to_grid, 2

coords, 3

coords_to_grid (coords), 3

geometry_to_grid, 3

grid_as_sf, 4

grid_as_stars, 4

grid_city_2020, 5

grid_components, 6

grid_convert, 6

grid_distance, 7

grid_line, 7

grid_move, 8

grid_neighbor, 8

grid_neighborhood, 9

grid_subdivide, 10

grid_to_coords (coords), 3

is_grid, 10

jpgrid, 11

jpgrid-package (jpgrid), 11

parse_grid, 11

sf::st_as_sf(), 4

stars::st_as_stars(), 5

stars::st_rasterize(), 3